
Egress Window (Must Meet Both Requirements)

- 1. Egress windows require a minimum 24-inch height, 20-inch width and maximum sill height of 44-inches above floor (below)
- 2. Egress windows require a net clear opening of at least 5.7 total square feet (see next page)



Egress window net clear opening must be at least 5.7 total square feet

EGR	ESS	W	ND	OW	OP	ENI	NG	SIZ	E C	HA	RT								
Area in Square Feet			et																
(Inches) Height			1		220														
Width	24	25	26	27	28	29	30	31	32	33	34	35	0.00	37	38	39	40	41	42
20													5.0					5.69	5.83
21												5.1				5.69	5.83	5.98	6,13
22											5.2				5.81	5.96	6.11	6.26	6.42
23										5.23			5.75	5.91	6.07	6.23	6.39	6.55	6.71
24									5.33			5.83	6.00	6.17	6.33	6.50	6,67	6.83	7.00
25								5.38		5.73	5.90	6.08	6.25	6.42	6.60	6.77	6.94	7.12	7.29
26							5.42		5.78	5.96	6.14	6.32	6.50	6.68	6.86	7.04	7.22	7.40	7.58
27						5.44		5.81	6.00	6.19	6.38	6.56	6.75	6.94	7.13	7.31	7.50	7.69	7.88
28					5.44		5.83	6.03	6.22	6.42	6.61	6.81	7.00	7.19	7.39	7.58	7.78	7.97	8.17
29				5.44		5,84	6.04	6.24	6.44	6.65	6.85	7.05	7.25	7.45	7.65	7.85	8.06	8.26	8.46
30			5.42		5.83	6.04	6.25	6.46	6.67	6,88	7.08	7.29	7.50	7.71	7.92	8.13	8.33	8.54	\$.75
31		5.38		5.81	6.03	6.24	6.46	6.67	6.89	7.10	7.32	7.53	7.75	7.97	8.18	8.40	8.61	8.83	9.04
32	5.33		5.78	6.00	6.22	6.44	6.67	6.89	7.11	7.33	7.56	7.78	8.00	8.22	8.44	8.67	8.89	9.11	9.33
33		5.73	5.96	6.19	6.42	6.65	6.88	7.10	7.33	7.56	7.79	8.02	8.25	8.48	8.71	8.94	9.17	9.40	9,63
34	S	5.90	6.14	6.38	6.61	6.85	7.08	7.32	7.56	7.79	8.03	8.26	8.50	8.74	8.97	9.21	9.44	9.68	9.92
35	5.83	6.08	6.32	6.56	6.81	7.05	7.29	7.53	7.78	8.02	8.26	8.51	8.75	8.99	9.24	9.48	9.72	9.97	10.21
36	6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50
37	6.17	6.42	6.68	6.94	7.19	7.45	7.71	7.97	8.22	8.48	8.74	8.99	9.25	9.51	9.76	10.02	10.28	10.53	10.79
38	6.33	6.60	6.86	7.13	7.39	7.65	7.92	8.18	8.44	8.71	8.97	9.24	9.50	9.76	10.03	10.29	10.56	10.82	11.08